



**INSTALLATION MANUAL
INSTALLATIONSHANDBUCH
MANUEL D'INSTALLATION
INSTALLATIEHANDLEIDING
MANUAL DE INSTALACIÓN
MANUALE DI INSTALLAZIONE
ΕΓΧΕΙΡΙΔΙΟ ΟΔΗΓΙΩΝ ΕΓΚΑΤΑΣΤΑΣΗΣ
MANUAL DE INSTALAÇÃO
INSTALLATIONSMANUAL
INSTALLATIONSMANUAL
РЪКОВОДСТВО ЗА МОНТАЖ
INSTRUKCJA MONTAŻU
INSTALLERINGSHÅNDBOK
ASENNUSOPAS
PŘÍRUČKA PRO INSTALACI
NÁVOD NA INŠTALÁCIU
TELEPÍTÉSI KÉZIKÖNYV
NAMESTITVENI PRIROČNIK
MANUAL DE INSTALARE
PAIGALDUSJUHEND
MONTĀŽAS ROKASGRĀMATA
MONTAVIMO VADOVAS
PRIRUČNIK ZA POSTAVLJANJE
UPUTSTVO ZA UGRADNJU
MONTAJ EL KİTABI
ПОСІБНИК ІЗ МОНТАЖУ**

English

Deutsch

Français

Nederlands

Español

Italiano

Ελληνικά

Português

Dansk

Svenska

Български

Polski

Norsk

Suomi

Čeština

Slovenčina

Magyar

Slovenščina

Română

Eesti

Latviski

Lietuviškai

Hrvatski

Srpski

Türkçe

Українська

Contents

1. Safety precautions	1
2. Product Introduction	5
3. Parts	5
4. Connecting the Wi-Fi interface	6
5. Specifications	8

About Wi-Fi interface

This Wi-Fi interface, communicates the status information and controls the commands from the MELCloud by connecting to an indoor unit.

- Some indoor units are not compatible with the Wi-Fi interface. Make sure that the indoor unit is compatible with the Wi-Fi interface before attempting to install the Wi-Fi interface.
- Wi-Fi® is a registered trademark of Wi-Fi Alliance®

1. Safety precautions

- Read all Safety Instructions before installation, setting up, or use of the Wi-Fi interface.
- This installation manual contains important safety information. Be sure to comply with the instructions.
- After installing the Wi-Fi interface, provide this installation manual for the user. Instruct users to store it with their indoor unit instruction manual in a safe location.

[Precautions for installation]

Warning

(Improper handling may have serious consequences, including serious injury or death.)

- **Do not install the Wi-Fi interface by yourself (user).**
Improper installation may result in fire, electric shock, injury due to fall of the Wi-Fi interface, or water leaks. Consult the dealer from whom you purchased the Wi-Fi interface or professional installer.
- **The Wi-Fi Interface should be securely installed in accordance with this installation manual.**
Improper installation may result in fire, electric shock, or damage, or fall of the Wi-Fi interface.
- **The Wi-Fi interface should be mounted in a location that can support its weight.**
If the Wi-Fi interface is installed in a location that cannot support its weight, the Wi-Fi interface could fall and cause damage.
- **Connect and fasten the electric wires securely so external force on the wires will not apply on the terminals.**
Improper connection and mounting may result in breakdown, heat generation, smoke generation, or fire.
- **Mitsubishi Electric's components or other designated components must be used for installation.**
Improper component may result in fire, electric shock, or damage/water leaks.
- **Electric work must be performed by authorized personnel in accordance with the local regulations and the instructions detailed in the installation manual.**
Inadequate circuit capacity or improper installation may result in electric shock or fire.
- **Do not connect the Wi-Fi interface to earth inside the indoor unit.**
- **Attach the electrical cover to the indoor unit securely.**
If the electrical cover of the indoor units is not attached securely, it could result in a fire or an electric shock due to dust, water, etc.
- **When installing the Wi-Fi interface, use appropriate protective equipment and tools for safety.**
Failure to do so could cause injury.
- **Turn off the breaker or unplug the power supply plug of the indoor unit when connecting the Wi-Fi interface.**
Failure to do so could cause electric shock.
- **Make sure to connect the connector of the Wi-Fi interface to the printed circuit board of the indoor unit properly.**
Incomplete connecting or mounting may result in broken wire, heat generation, smoke generation, or fire.

Warning

(Improper handling may have serious consequences, including serious injury or death.)

- **Do not install the Wi-Fi interface nearby the automatic control devices such as automatic doors or fire alarms.**
It can cause accidents due to malfunctions.
- **Do not disassemble, modify, or repair by yourself.**
It can cause electric shock, fire, or injury.
- **Do not use the Wi-Fi interface nearby the medical electrical equipment or people who have a medical device such as a cardiac pacemaker or an implantable cardioverter-defibrillator.**
It can cause an accident due to malfunctions of the medical equipment or device.
- **This equipment should be installed and operated with a minimum distance of 20 cm between the device and the user or bystanders.**
- **Install the Wi-Fi interface and the cable where users cannot reach them.**
If an user touches or pulls them, electric shock or fall of the Wi-Fi interface may result.

Caution

(Improper handling may have consequences, including injury or damage to building.)

- **To prevent damage from static electricity, touch a nearby metal body to discharge static electricity from yourself before touching the Wi-Fi interface.**
Static electricity from the human body may damage the Wi-Fi interface unit.
- **Do not install the Wi-Fi interface in a place with much steam, such as bathroom.**
Avoid places where water is splashed or where condensation forms on walls. Installing in such places can cause electric shock or breakdown.
- **Do not install the Wi-Fi interface in places with direct sunlight or where the ambient temperature is 40°C or more or is 0°C or less.**
Direct sunlight and high or low temperature environments may cause the Wi-Fi interface to deform or breakdown.
- **Do not use in special environments.**
Use in places with much oil (including machine oil), steam, or sulfuric gas may lead to severe decrease in functionality and damage to parts.
- **Turn off power supply of connected equipment when performing construction or wiring work.**
Failure to turn off the power supply to the connected equipment may lead to malfunction or breakdown of the Wi-Fi interface or connected equipment.
- **The connecting cable must not touch piping directly.**
- **Do not use the Wi-Fi interface nearby other wireless devices, microwaves, cordless phones, or facsimiles.**
It can cause malfunctions.
- **Do not mount the Wi-Fi interface where children can reach.**
It can cause injury.

[Precautions for setting up, or use of the Wi-Fi interface]

■ Meanings of symbols used in this manual

	Be sure not to do.		Be sure to follow the instruction.
	Never touch with wet hand.		Be sure to disconnect the power supply plug from the power outlet.
	Never splash water on the unit.		

Warning

(Improper handling may have serious consequences, including serious injury or death.)

	<ul style="list-style-type: none"> ■ Do not disassemble, modify, or repair by yourself (user). It can cause electric shock, fire, or injury. 		<ul style="list-style-type: none"> ■ Do not touch the Wi-Fi interface with wet hands. It can cause damage to the device, electric shock, or fire. 	
	<ul style="list-style-type: none"> ■ This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. 		<ul style="list-style-type: none"> ■ Do not splash water on the Wi-Fi interface or use it in a bathroom. It can cause damage to the device, electric shock, or fire. 	
	<ul style="list-style-type: none"> ■ Children should be supervised to ensure that they do not play with the appliances. 		<ul style="list-style-type: none"> ■ Do not install the Wi-Fi interface by yourself (user). Improper installation may result in fire, electric shock, or injury due to fall of the Wi-Fi interface. Consult the dealer from whom you purchased the Wi-Fi interface or professional installer. 	
	<ul style="list-style-type: none"> ■ This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. 		<ul style="list-style-type: none"> ■ If the Wi-Fi interface is dropped or its body or cable is damaged, disconnect the power supply plug or turn the breaker OFF. It may cause fire or electric shock. In this case, consult your dealer. 	
	<ul style="list-style-type: none"> ■ Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision. 		<ul style="list-style-type: none"> ■ In case of an abnormal condition (such as a burning smell), stop the indoor unit and disconnect the power supply plug or turn the breaker OFF. A continued operation in the abnormal state may cause a malfunction, fire, or electric shock. In this case, consult your dealer. 	
	<ul style="list-style-type: none"> ■ Do not use the Wi-Fi interface nearby the medical electrical equipment or people who have a medical device such as a cardiac pacemaker or an implantable cardioverter-defibrillator. It can cause an accident due to malfunctions of the medical equipment or device. 			
	<ul style="list-style-type: none"> ■ Do not install the Wi-Fi interface nearby the automatic control devices such as automatic doors or fire alarms. It can cause accidents due to malfunctions. 			
	<ul style="list-style-type: none"> ■ Do not touch the Wi-Fi interface or the cable without turning off the breaker. 			

Caution

(Improper handling may have consequences, including injury or damage to building.)



- **Do not mount the Wi-Fi interface where children can reach.**
It can cause injury.
- **Do not step on unstable stepstool to set up or clean the Wi-Fi interface.**
It may cause injury if you fall down.



- **Do not use the Wi-Fi interface nearby other wireless devices, microwaves, cordless phones, or facsimiles.**
It can cause malfunctions.

[Precautions for installation, setting up, or use of the Wi-Fi interface]

Note

- Please ensure that the Router supports the WPA2-AES encryption setting and 2.4GHz before commencement of the installation of the Wi-Fi interface.
- The end user should read and accept the terms and conditions of the Wi-Fi service before commencement of the installation of the Wi-Fi interface.
- To fully connect the Wi-Fi interface to the Wi-Fi service, you may need a router and a smartphone compatible with Bluetooth® Low Energy 4.2 or later.
- The end user should set the connection password to one that is difficult to guess.
- The Wi-Fi interface will not commence transmission of any operational data from the system until the end user registers and accepts the terms and conditions of the Wi-Fi service.
- Do not place the Wi-Fi interface where it can be easily accessed by third parties.
- The Wi-Fi interface should not be installed and connected to any Mitsubishi Electric system which is to provide application critical cooling or heating.
- Please write down the model information and more on the last page "Setting information", when you install the Wi-Fi interface.

Mitsubishi Electric's Wi-Fi Interface is designed for communication to Mitsubishi Electric's MELCloud Wi-Fi service.

Third party Wi-Fi interfaces cannot be connected to MELCloud.

Mitsubishi Electric is not responsible for any (i) underperformance of a system or any product; (ii) system or product fault; or (iii) loss or damage to any system or product; which is caused by or arises from connection to and/or use of any third party Wi-Fi interface or any third party Wi-Fi service with Mitsubishi Electric equipment.

For the latest information regarding MELCloud from Mitsubishi Electric Corporation, please visit www.MELCloud.com.


[About trademarks]

•The Bluetooth® word mark is registered trademarks owned by Bluetooth SIG, Inc.

2. Product Introduction

PWR LED

Description	PWR LED Pattern
Power off	LED OFF
Booting	LED ON
Working	LED Flashing



PWR LED

3. Parts

①	Interface unit (with connecting cable)		1	④	Mounting cord clamp		1
②	Fixing screw for ⑥ 3.5 × 16 mm		2	⑤	Fastener (for bundling the wires)		1
③	Fixing screw for ④ 4 × 16 mm		1	⑥	Holder		1
				⑦	Clip		1

4. Connecting the Wi-Fi interface

(For details on each system, see the relevant instruction manual.)

Turn off the breaker of the air conditioner or the ATW unit before connecting the cable to the indoor unit.

Run the cable inside the wall or above the ceiling when installing the Wi-Fi interface.

Refer to the installation manual of each model for connecting instructions and details.

- (1) The connecting cable connected to a indoor unit (CN105) should be mounted at the indoor unit or its vicinity.


When mounting the interface unit ① inside an indoor unit, refer to the installation manual of the indoor unit. Do not mount the interface unit ① inside the indoor unit, if not mentioned. Also, when installing the Wi-Fi interface, adjust the position and route the cables correctly so that the user does not touch the Wi-Fi cable.

<Air conditioner>


When mounting on the wall (Except when connecting to the wall mounted indoor unit)

The cable side of the interface unit ① should face downward.

- 4 way cassette indoor unit




- Fix the holder ⑥ on the wall in the orientation shown in the figure below with the screw ②.
Note: Tighten the upper and then the lower screw.
- Insert the interface unit ① into the holder ⑥ until it clicks.




When mounting on the outer side of indoor unit (Wall mounted indoor unit)

- Insert the clip ⑦ into the holder ⑥ until it clicks.
- Insert the interface unit ① into the holder ⑥ until it clicks.




- Slip the clip ⑦ over the edge of corner box to fix the interface unit ①.
Note: Mount the interface unit ① on the side of the indoor unit.




Example of mounting on the left side of indoor unit

Note: Interface unit ① can also be mounted on the right side of the indoor unit.

Side of the Indoor unit



- To check the LED indication after setup, remove the interface unit ① from the holder ⑥.







Run the connecting cable in the space on the back of the unit as shown in the above figure. Tuck cabling away and secure it.

Note: Make sure that the connecting cable will not get caught on or between the installation plate and the wall, or between the indoor unit and the installation plate.

Failure to do so may cause damage to the connecting cable resulting in communication problems.

- 7 Make sure that the connecting cable will not come out from the indoor unit.

Cylinder unit**Hydrobox****Connecting to Cylinder unit****Connecting to Hydrobox**

Mount in the same procedure for air conditioner. Please refer to "When mounting on the wall" on page 6.

- (2) Turn on the breaker of the air conditioner or the ATW unit and check that the LED indication of the Wi-Fi interface enters the initial state shown on right.
If the PWR LED continues to be in the LED ON state for 5 seconds or longer, there is likely a failure of the Wi-Fi interface or a firmware malfunction. Contact your dealer.

Initial State

PWR LED	Flashing
---------	----------

Setting up
Download the MELCloud application.
Please go to the website below.
<https://www.melcloud.com/?qr=1>



For MELCloud User Manual, please go to the website below.
<https://www.melcloud.com/Support>

5. Specifications

Input Voltage	DC12.7 V (from indoor unit)
Power consumption	MAX 2 W
Size H × W × D (mm)	73.5 × 41.5 × 18.5
Weight (g)	87 (including cable)
Transmitter power level (MAX)	20 dBm @IEEE 802.11b
RF channel	1ch ~ 13ch (2412~2472 MHz)
	0ch ~ 39ch (2402~2480 MHz)
Radio protocol	IEEE 802.11b/g/n (20)
Encryption	AES
Authentication	WPA2-PSK
Software Ver	XX.00
Length of cable (mm)	2,040

For Declaration of Conformity, please go to the website below.
<http://www.mitsubishielectric.com/ldg/ibim/>

Setting information

Indoor unit model name	
Indoor unit serial number	
Outdoor unit model name	
Outdoor unit serial number	
Wi-Fi interface MAC address (MAC)	
Wi-Fi interface serial number (ID)	
System commissioning date	
Wi-Fi interface installation date	

Installer contact details

Name	
Telephone number	

MEMO

.....

.....

.....

.....

.....

.....

.....

.....

Importer in European and surrounding region.

Mitsubishi Electric Europe B.V.

Capronilaan 34, 1119 NS, Schiphol Rijk, The Netherlands

https://emea.mitsubishielectric.com/en/about/local/locations/emea_europeandcis001/

French Branch

2, Rue De L'Union, 92565 RUEIL MALMAISON Cedex, France

<https://fr.mitsubishielectric.com/fr/>



German Branch

Mitsubishi-Electric-Platz 1, 40882 Ratingen, North Rhine-Westphalia, Germany

<https://de.mitsubishielectric.com/de/>

Belgian Branch

Autobaan 2, 8210 Loppem, Belgium

<https://be.mitsubishielectric.com/nl/>

Irish Branch

Plunkett House, Grange Castle Business Park, Nangor Road Dublin 22 Ireland

https://emea.mitsubishielectric.com/en/about/local/locations/emea_europeandcis009/index.html

Italian Branch

Via Energy Park, 14, 20871 Vimercate (MB), Italy

<https://it.mitsubishielectric.com/it/>

Norwegian Branch

Gneisveien 2D, 1914 Ytre Enebak, Norway

<https://no.mitsubishielectric.com/no/>

Portuguese Branch

Avda. do Forte 10, 2794-019 Carnaxide, Lisbon, Portugal

<https://www.mitsubishielectric.pt/>

Spanish Branch

Av. Castilla, 2 Parque Empresarial San Fernando - Ed. Europa, 28830 San Fernando de Henares (Madrid), Spain

<https://es.mitsubishielectric.com/es/>

Scandinavian Branch

Hammarbacken 14, P.O. Box 750, SE-19127, Sollentuna, Sweden

<https://se.mitsubishielectric.com/sv/>

UK Branch

Travellers Lane, Hatfield, Hertfordshire, AL10 8XB, England, U.K.

<https://gb.mitsubishielectric.com/en/>

Polish Branch

Krakowska 48, PL-32-083 Balice, Poland

<https://pl.mitsubishielectric.com/pl/>

MITSUBISHI ELECTRIC TURKEY ELEKTRİK ÜRÜNLERİ A.Ş.

Şerifali Mahallesi Kale Sokak No: 41, 34775 Ümraniye, İstanbul, Türkiye

<https://tr.mitsubishielectric.com/tr/>

Hereby, MITSUBISHI ELECTRIC CORPORATION declares that the radio equipment type MAC-5971F-E is in compliance with Directive 2014/53/EU and (EU) 2022/30.

The full text of the EU declaration of conformity is available at the following internet address:

<http://www.mitsubishielectric.com/lDg/ibim/>

Hiermit erklärt MITSUBISHI ELECTRIC CORPORATION, dass der Funkanlagentyp MAC-5971F-E den Richtlinien 2014/53/EU und (EU) 2022/30 entspricht.

Der vollständige Text der EU-Konformitätserklärung ist unter der folgenden Internetadresse verfügbar:

<http://www.mitsubishielectric.com/lDg/ibim/>

Le soussigné, MITSUBISHI ELECTRIC CORPORATION, déclare que l'équipement radioélectrique du type MAC-5971F-E est conforme à la directive 2014/53/UE et à (UE) 2022/30.

Le texte complet de la déclaration UE de conformité est disponible à l'adresse internet suivante:

<http://www.mitsubishielectric.com/lDg/ibim/>

Hierbij verklaar ik, MITSUBISHI ELECTRIC CORPORATION, dat het type radioapparatuur MAC-5971F-E conform is met Richtlijnen 2014/53/EU en (EU) 2022/30.

De volledige tekst van de EU-conformiteitsverklaring kan worden geraadpleegd op het volgende internetadres:

<http://www.mitsubishielectric.com/lDg/ibim/>

Por la presente, MITSUBISHI ELECTRIC CORPORATION declara que el tipo de equipo radioeléctrico MAC-5971F-E es conforme con la Directiva 2014/53/UE y con el Reglamento (UE) 2022/30.

El texto completo de la declaración UE de conformidad está disponible en la dirección Internet siguiente:

<http://www.mitsubishielectric.com/lDg/ibim/>

Il fabbricante, MITSUBISHI ELECTRIC CORPORATION, dichiara che il tipo di apparecchiatura radio MAC-5971F-E è conforme alla direttiva 2014/53/UE e al Regolamento (UE) 2022/30.

Il testo completo della dichiarazione di conformità UE è disponibile al seguente indirizzo Internet:

<http://www.mitsubishielectric.com/lDg/ibim/>

Με την παρούσα ο/η MITSUBISHI ELECTRIC CORPORATION, δηλώνει ότι ο ραδιοεξοπλισμός MAC-5971F-E πληροί την οδηγία 2014/53/ΕΕ και τον κανονισμό (ΕΕ) 2022/30.

Το πλήρες κείμενο της δήλωσης συμμόρφωσης ΕΕ διατίθεται στην ακόλουθη ιστοσελίδα στο διαδίκτυο:

<http://www.mitsubishielectric.com/lDg/ibim/>

O(a) abaixo assinado(a) MITSUBISHI ELECTRIC CORPORATION declara que o presente tipo de equipamento de rádio MAC-5971F-E está em conformidade com as Diretivas 2014/53/UE e (UE) 2022/30.

O texto integral da declaração de conformidade está disponível no seguinte endereço de Internet:

<http://www.mitsubishielectric.com/lDg/ibim/>

Hermed erklærer MITSUBISHI ELECTRIC CORPORATION, at radioudstyrstypen MAC-5971F-E er i overensstemmelse med direktiv 2014/53/EU og (EU) 2022/30.

EU-overensstemmelseserklæringens fulde tekst kan findes på følgende internetadresse:

<http://www.mitsubishielectric.com/lDg/ibim/>

Härmed försäkrar MITSUBISHI ELECTRIC CORPORATION att denna typ av radioutrustning MAC-5971F-E överensstämmer med direktiv 2014/53/EU och (EU) 2022/30.

Den fullständiga texten till EU-försäkran om överensstämmelse finns på följande webbadress:

<http://www.mitsubishielectric.com/lDg/ibim/>

С настоящото MITSUBISHI ELECTRIC CORPORATION декларира, че този тип радиосъоръжение MAC-5971F-E е в съответствие с Директива 2014/53/ЕС и (ЕС) 2022/30.

Цялостният текст на ЕС декларацията за съответствие може да се намери на следния интернет адрес:

<http://www.mitsubishielectric.com/lDg/ibim/>

MITSUBISHI ELECTRIC CORPORATION niniejszym oświadcza, że typ urządzenia radiowego MAC-5971F-E jest zgodny z dyrektywą 2014/53/UE i (UE) 2022/30.

Pełny tekst deklaracji zgodności UE jest dostępny pod następującym adresem internetowym:

<http://www.mitsubishielectric.com/lDg/ibim/>

Herved erklærer MITSUBISHI ELECTRIC CORPORATION at radioutstyr av typen MAC-597IF-E er i samsvar med direktiv 2014/53/EU og (EU) 2022/30.

Fullstendig tekst med EUs samsvarserklæring finnes på følgende nettadresse:

<http://www.mitsubishielectric.com/ldg/ibim/>

MITSUBISHI ELECTRIC CORPORATION vakuuttaa, että radiolaitetyyppi MAC-597IF-E on direktiivin 2014/53/EU ja (EU) 2022/30 mukainen.

EU-vaatimustenmukaisuusvakuutuksen täysimittainen teksti on saatavilla seuraavassa internetosoitteessa:

<http://www.mitsubishielectric.com/ldg/ibim/>

Tímto MITSUBISHI ELECTRIC CORPORATION prohláší, že typ rádiového zařízení MAC-597IF-E je v souladu se směrnicí 2014/53/EU a nařízením (EU) 2022/30.

Úplné znění EU prohlášení o shodě je k dispozici na této internetové adrese:

<http://www.mitsubishielectric.com/ldg/ibim/>

MITSUBISHI ELECTRIC CORPORATION tímto vyhlasuje, že rádiové zariadenie typu MAC-597IF-E je v súlade so smernicou 2014/53/EÚ a nariadením (EÚ) 2022/30.

Úplné EÚ vyhlásenie o zhode je k dispozícii na tejto internetovej adrese:

<http://www.mitsubishielectric.com/ldg/ibim/>

MITSUBISHI ELECTRIC CORPORATION igazolja, hogy a MAC-597IF-E típusú rádióberendezés megfelel a 2014/53/EU irányelvnek és az (EU) 2022/30 rendeletének.

Az EU-megfelelőségi nyilatkozat teljes szövege elérhető a következő internetes címen:

<http://www.mitsubishielectric.com/ldg/ibim/>

MITSUBISHI ELECTRIC CORPORATION potrjuje, da je tip radijske opreme MAC-597IF-E skladen z Direktivama 2014/53/EU in (EU) 2022/30.

Celotno besedilo izjave EU o skladnosti je na voljo na naslednjem spletnem naslovu:

<http://www.mitsubishielectric.com/ldg/ibim/>

Prin prezenta, MITSUBISHI ELECTRIC CORPORATION declară că tipul de echipamente radio MAC-597IF-E este în conformitate cu Directiva 2014/53/UE și 2022/30 (UE).

Textul integral al declarației UE de conformitate este disponibil la următoarea adresă internet:

<http://www.mitsubishielectric.com/ldg/ibim/>

Käesolevaga deklareerib MITSUBISHI ELECTRIC CORPORATION, et käesolev raadioseadme tüüp MAC-597IF-E vastab direktiivi 2014/53/EL ja määruse (EL) 2022/30 nõuetele.

ELi vastavusdeklaratsiooni täielik tekst on kättesaadav järgmisel internetiaadressil:

<http://www.mitsubishielectric.com/ldg/ibim/>

Ar šo MITSUBISHI ELECTRIC CORPORATION deklārē, ka radioiekārta MAC-597IF-E atbilst Direktīvai 2014/53/ES un (ES) 2022/30.

Pilns ES atbilstības deklarācijas teksts ir pieejams šādā interneta vietnē:

<http://www.mitsubishielectric.com/ldg/ibim/>

Aš, MITSUBISHI ELECTRIC CORPORATION, patvirtinu, kad radijo įrenginių tipas MAC-597IF-E atitinka Direktyvą 2014/53/ES ir Reglamentą (ES) 2022/30.

Visas ES atitikties deklaracijos tekstas prieinamas šiuo interneto adresu:

<http://www.mitsubishielectric.com/ldg/ibim/>

MITSUBISHI ELECTRIC CORPORATION ovime izjavljuje da je radijska oprema tipa MAC-597IF-E u skladu s Direktivom 2014/53/EU i (EU) 2022/30.

Cjeloviti tekst EU izjave o sukladnosti dostupan je na sljedećoj internetskoj adresi:

<http://www.mitsubishielectric.com/ldg/ibim/>

Ovim kompanija MITSUBISHI ELECTRIC CORPORATION izjavljuje da je radio-oprema tipa MAC-597IF-E u skladu sa Direktivom 2014/53/EU i Uredbom (EU) 2022/30.

Kompletan tekst EU deklaracije o usaglašenosti je dostupan na sledećoj internet adresi:

<http://www.mitsubishielectric.com/ldg/ibim/>

MITSUBISHI ELECTRIC CORPORATION işbu belge ile türü MAC-597IF-E olan telsiz ekipmanının 2014/53/AB ve (AB) 2022/30 sayılı Yönetmeliğe uygun olduğunu beyan eder.

AB uygunluk beyanının tam metnine şu internet adresinden ulaşılabilir:

<http://www.mitsubishielectric.com/ldg/ibim/>

Цим MITSUBISHI ELECTRIC CORPORATION заявляє, що радіобладнання типу MAC-597IF-E відповідає Директиві 2014/53/ЄС та (ЄС) 2022/30.

Повний текст декларації відповідності вимогам ЄС доступний за веб адресою:

<http://www.mitsubishielectric.com/ldg/ibim/>

Hereby, MITSUBISHI ELECTRIC CORPORATION declares that the radio equipment type MAC-5971F-E is in compliance with The Radio Equipment Regulations 2017.

The full text of the UK declaration of conformity is available at the following internet address:

<http://www.mitsubishielectric.com/ldg/ibim/>

The date of production is indicated on the SPEC NAME PLATE.

ID : □ □ □ □ □ □ □ □ □ □
The sequential number

The date of production (YYDDD / Y: 2-digit year , D: Date(001–366)+200*)

*If the sequential number is over 999, Date(001–366)+600.

e.g.) ID : 2 5 2 0 1 0 1 0 0 1
Date of manufacture : 1(1-Jan.)
Year of manufacture : 2025

This product is designed and intended for use in the residential, commercial and light-industrial environment.

Please be sure to put the contact address/telephone number on this manual before handing it to the customer.



MITSUBISHI ELECTRIC CORPORATION

HEAD OFFICE: TOKYO BUILDING, 2-7-3, MARUNOUCHI, CHIYODA-KU, TOKYO 100-8310, JAPAN

DG79A0FWW01